


KWC F3E-Mix

Electronic pillar mixer with battery compartment

Modell-Linie: F3E | F3EM1001 | 2030033388 | EAN/GTIN: 7612982235474
Taps | Electronic taps



Article Number

2030033388

2030039470

with flow regulator 3.0 l/min

volume flow rate at 3 bar

0.1 l/s

0.05 l/s

F3E-Mix pillar mixer DN 15 for sanitary facilities, opto-electronically controlled. For connection to hot and cold water via hoses with integrated backflow preventer and strainers. Control electronics, solenoid valve cartridge and sensor in all-metal housing, high-polished chromium-plated brass, with temperature lever and adjustable, turn-proof temperature stop. Aerator with

integrated flow regulator 6.0 l/min. Activated water hygiene flushing 24 hours after last activation, safety switch-off with continuous reflection and saving of statistical data. With option for parameterization and communication via optional, bidirectional remote control. With battery compartment including 6 V lithium battery (CR-P2) for installation under the washbasin.

Technical Data

with backflow preventer

calculation flow rate cold wat

calculation flow rate hot water

compatible A3000 open

default automatic hygiene flus

depressurised

with filter

functional principle

hygiene flushing

diameter nominal

inlet size

Locking mechanism

material fitting

minimum flow pressure

type of mixing

number of batteries

Parameterization

Pop-up waste set

power supply connection

position of power connection

power consumption

Type of power supply

true

0.07 l/s

0.07 l/s

false

24h after the last activity

false

true

electronic self-closing

true

DN 15

G 3/8

Top section, non-ceramic

brass-look

1 bar

true

1

remote control

false

Battery 6 V

from bottom

1.5 Voltampere

Battery



KWC F3E-Mix

Electronic pillar mixer with battery compartment

Modell-Linie: F3E | F3EM1001 | 2030033388 | EAN/GTIN: 7612982235474

Taps | Electronic taps

protective system IP	IP59K
with rosettes/cover plate	false
protective shutdown	true
sound insulation	false
Spout	fixed
spout projection	100 mm
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	true
thermal disinfection	false
with transformer/power supply	false
type of batteries	CR-P2 Lithium battery 6V
type of mounting	tap hole
type of operation	sensor operation
type of sensor	opto-electronic sensor
type of tap	pillar tap
volume flow rate at 3 bar	0.1 l/s
water connection	hose (gland nut)
Accent colour	none
Basic colour	chrome-look (glossy)

Optional Accessories



Bidirectional remote control for electronic fittings F3 and F5

2030036654
ACEX9005



2-button remote control for fittings F3 and F5

2030036849
ACEX9004



Aerator

2000101160
ZAQUA087



PURETHERM under-table thermostat

2030012758
PURE0031

Spare Parts

KWC

F3E-Mix


Electronic pillar mixer with battery compartment

Modell-Linie: F3E | F3EM1001 | 2030033388 | EAN/GTIN: 7612982235474
Taps | Electronic taps




Cap for F3E

2030041514
ASEX1006




Sensor, ID 01/00001

2030041447
ASEX1001




Spare part set

2030042426
ASEX1011



Solenoid valve cartridge

2030045522
ACXX9002



Aerator 6.0 l/min

2000104691
ASXX1015



Hose

2030041320
ASXM1001



Quick-action fastener

2030042441
ASEX1012



Temperature lever

2030042959
ASXM1004



Battery compartment

3600002063
ACEX9023



Lithium battery 6 V

2000104846
EPRTR0008